



RULE-MAKING ORDER

EMERGENCY RULE ONLY

CR-103E (December 2017) (Implements RCW 34.05.350 and 34.05.360)

Agency: State Board of Health

Effective date of rule:

Emergency Rules

- Immediately upon filing.
 Later (specify)

Any other findings required by other provisions of law as precondition to adoption or effectiveness of rule?

- Yes No If Yes, explain:

Purpose: WAC 246-272A-0110, Proprietary treatment products - Certification and registration. The State Board of Health (board) adopted an emergency rule regarding certification and registration of proprietary treatment products used in on-site sewage systems and it was filed on October 13, 2022 (WSR 22-21-070). This filing followed the initial emergency rule filed in June 15, 2022 (WSR 22-13-101). Both emergency rules amended WAC 246-272A-0110 to allow manufacturers to make a written request to the Department of Health (department) to substitute components of a registered product's construction in cases of a demonstrated supply chain shortage or similar manufacturing disruptions that may impact installations, operation, or maintenance. The request must include information that demonstrates the substituted component will not negatively impact performance or diminish the effect of the treatment, operation, and maintenance of the original registered product.

This third emergency rule adopts the same process but with some minor changes to allow manufacturers of registered proprietary treatment products to replace components of their products that are not available due to supply chain shortages or similar manufacturing disruptions with like components, as long as the components will not negatively impact performance, treatment, operation, or maintenance of the original registered product.

The underlying justification for the initial and second emergency rule still applies because without the emergency rule, the current rule would impede home sales when maintenance of these devices is noted on home inspections for property transfers because replacement parts are unavailable. New construction is likewise impacted as many active or pending permits include on-site sewage systems using Salcor products. There are other manufacturers of disinfecting ultraviolet (UV) light systems that can be substituted into the proprietary treatment products that use Salcor products. Since the filing of second emergency rule Salcor was sold and the new owner is working with NSF to get their products approved but this process will take several months. In order to continue to protect the public's health, safety, and welfare, it is necessary to adopt a third emergency rule to allow the department to consider written requests from manufacturers of proprietary treatment products for substitutes to proprietary treatment product components so their systems will be able to function properly without negatively impacting treatment, operation or maintenance during supply chain shortages. To date, three manufacturers have received department approval to substitute the Salcor 3G UV lamp with an alternate UV lamp.

In 2018, the board filed a CR-101, Preproposal Statement of Inquiry (WSR 18-06-082), to initiate permanent rulemaking and update the on-site sewage system rules. That rulemaking is still underway and is expected to conclude in 2023. As directed by the board at the June 8, 2022 meeting, the emergency rule amendment will be considered for incorporation into the permanent rulemaking that is currently underway.

Citation of rules affected by this order:

New: None
 Repealed: None
 Amended: WAC 246-272A-0110
 Suspended: None

Statutory authority for adoption: RCW 43.20.050 (3)

Other authority:

EMERGENCY RULE

Under RCW 34.05.350 the agency for good cause finds:

- That immediate adoption, amendment, or repeal of a rule is necessary for the preservation of the public health, safety, or general welfare, and that observing the time requirements of notice and opportunity to comment upon adoption of a permanent rule would be contrary to the public interest.
- That state or federal law or federal rule or a federal deadline for state receipt of federal funds requires immediate adoption of a rule.

Reasons for this finding: The board finds that in order to protect the public's health, safety, and welfare it is necessary to adopt the emergency rule to amend WAC 246-272A-0110 to allow the department to consider written request from manufacturers of proprietary treatment products to substitute a proprietary treatment product component so their systems may continue to function properly without negatively impacting performance or diminish the effect of the treatment, operation, or maintenance during supply chain shortages.

**Note: If any category is left blank, it will be calculated as zero.
No descriptive text.**

**Count by whole WAC sections only, from the WAC number through the history note.
A section may be counted in more than one category.**

The number of sections adopted in order to comply with:

Federal statute:	New	<u>0</u>	Amended	<u>0</u>	Repealed	<u>0</u>
Federal rules or standards:	New	<u>0</u>	Amended	<u>0</u>	Repealed	<u>0</u>
Recently enacted state statutes:	New	<u>0</u>	Amended	<u>0</u>	Repealed	<u>0</u>

The number of sections adopted at the request of a nongovernmental entity:

New	<u>0</u>	Amended	<u>0</u>	Repealed	<u>0</u>
-----	----------	---------	----------	----------	----------

The number of sections adopted on the agency's own initiative:

New	<u>0</u>	Amended	<u>1</u>	Repealed	<u>0</u>
-----	----------	---------	----------	----------	----------

The number of sections adopted in order to clarify, streamline, or reform agency procedures:

New	<u>0</u>	Amended	<u>0</u>	Repealed	<u>0</u>
-----	----------	---------	----------	----------	----------

The number of sections adopted using:

Negotiated rule making:	New	<u>0</u>	Amended	<u>0</u>	Repealed	<u>0</u>
Pilot rule making:	New	<u>0</u>	Amended	<u>0</u>	Repealed	<u>0</u>
Other alternative rule making:	New	<u>0</u>	Amended	<u>1</u>	Repealed	<u>0</u>

Date Adopted:

Name: Michelle A. Davis

Title: Executive Director

Signature:

Place signature here