



# **Water Recreation Variance Request, Cheney Aquatic Center Chapter 246-262 WAC**

Andrew Kamali, Policy Advisor - August 7, 2024



**David DeLong,  
Water Recreation Program Lead**



# Cheney Aquatic Center Variances

- Purpose
- Review variance requirements
- Cheney Variance Request(s)
  - Aqua Climb Climbing Wall
  - Aqua Zip'N Rope Swing
  - Ninja Cross Obstacle Course



# Background

WAC 246-262-160

Variance.

The board may grant a variance from requirements of chapter [246-262](#) WAC if, in the sole discretion of the board, data and/or research provides sufficient evidence that the recreational water contact facility (attraction, device, equipment, procedure, etc.), will adequately protect public health and safety, as well as water quality.






# Background

- WAC 246-262-010(21) "Diving envelope" means the minimum dimensions of an area within the pool necessary to provide entry from a diving board, platform, or attraction segment where users enter above pool water level.
- WAC 246-262-060(5)(vi) *describes diving envelope requirements*






# Competitive Diving Envelopes



# Competitive Diving Envelopes






# Cheney Pool Climbing Wall



# Cheney Pool – Climbing Wall



1 POOL A - LAP POOL SECTION VIEW  
1/4" = 1'-0"




# Cheney Pool Aqua Zip



 **AQUAZIP'N**®

**Combining the thrill of a zip line with  
the fun of a rope swing**


# Cheney Pool – Aqua Zip



**3** POOL A - LAP POOL  
SECTION VIEW  
1/4" = 1'-0"



# Cheney Pool Ninja Cross



# Cheney Pool Variances Status

Department of Health, State Board of Health, and Spokane County Regional Health District staff are still reviewing the data, arguments, and mitigations proposed by the facility and are not prepared to give an evaluation of or recommendation to the Board.



# THANK YOU

To request this document in an alternate format, please contact the Washington State Board of Health at 360-236-4110, or by email at [wsboh@sboh.wa.gov](mailto:wsboh@sboh.wa.gov) | TTY users can dial 711

# ACCESSIBILITY AND THE AMERICANS WITH DISABILITIES ACT (ADA)

- The Washington State Board of Health (Board) is committed to providing information and services that are accessible to people with disabilities. We provide reasonable accommodations, and strive to make all our meetings, programs, and activities accessible to all persons, regardless of ability, in accordance with all relevant state and federal laws.
- Our agency, website, and online services follow the Americans with Disabilities (ADA) standards, Section 508 of the Rehabilitation Act of 1973, Washington State Policy 188, and Web Content Accessibility Guidelines (WCAG) 2.0, level AA. We regularly monitor for compliance and invite our users to submit a request if they need additional assistance or would like to notify us of issues to improve accessibility.
- We are committed to providing access to all individuals visiting our agency website, including persons with disabilities. If you cannot access content on our website because of a disability, have questions about content accessibility or would like to report problems accessing information on our website, please call (360) 236-4110 or email [wsboh@sboh.wa.gov](mailto:wsboh@sboh.wa.gov) and describe the following details in your message:
  - The nature of the accessibility needs
  - The URL (web address) of the content you would like to access
  - Your contact information

We will make every effort to provide you the information requested and correct any compliance issues on our website.